

ATLANTIA INDUSTRIES, ING.

dian Series . The Guardian . The Guardian Series . The Guardian Se



Noah's Ark Series — Noah's

Exclusive Distributor



TEL NO. (02) 377-8888 / 0922 - 852 - 9837 / 0908 - 865 - 7462 e-mail: Raiph.du@marineplast-technology.com









The Guardian Series . tion Series . The Guardian Series .

Specifications:

- Manufactured and tested in accordance with ASTM / ISO standards.
- Can accommodate both inboard and outboard engines.
- Up to 900 Kg or 15-18 persons lifting capacity. (The Guardian Series)
- Seating capacity is up to 16 persons.
- Watercraft Concept Patented and registered with Intellectual Property Philippines.

Rescue Features: (Package - Inclusive)



- 1. It has Two (2) side doors for easy pull - in of victims. No other watercraft can have this feature I
- 2. A stepping ladder for ease of climbing on - board the watercraft.
- 3. The Guardian comes with a Ring Buoy, Life Vests, PVC Paddles and Grip Cords surrounding the boat for victims adrift to hang on to.
- 4. 15-foot design makes it easy to maneuver in fight areas.
- Can accommodate up to 75 Hp engine for strong current situations.

Features / Advantages



Catamaran Design - less drag for greate speed allows rescuers to arrive target point. swiftly, and this design also adds stability and maneuverability in rough and tigh situations.



b. Practically no Keel for ultra-low drai (can run in knee high water)





- NO PUNCTURE unlike most Rubber Boats
- e. All panels of the guardian (side panel deck, engine housing) are made of ou proprietary Ultra - low Density synthetic wood for Superior Lightweight and Floatabilit Technology.



95% of the whole watercraft is made a buoyant materials.



g. Any part of the whole watercraft can b ANYWHERE in the whol secured archipelago. (For Briggs and Stratton



h. Most Cost Effective in all water crafts an can last for DECADES.



- i. Bottom 6 pipes filled with Extruded Polystyren Foam to enhance 100% floatation.
- Fire Retardant components added to ensure protection even when exposed to open fire
- k. Can be customized to be amphibious or sid wheels for vertical trasport thru traffic jam


Modify Arti Series , Nooth's Arti Series , N



THE GUARDIAN 6'7" X 15

With Outboard motor







TRAILER 15

Anti-Rust Painted Trailer



RESCUE BOAT MODEL:	The Guardian 6'7" x 15'
I. BOAT BODY	w/ Motor
BOAT DIMENSIONS:	
Length:	15'
Width:	6.7'
Height:	3'
PASSENGER CAPACITY:	
Seating Capacity:	16 Persons
Overload Capacity:	1737.50 lbs / 789.8 Kg
WEIGHT:	
Hull Weight:	533 KG
Operational Weight:	1322.8 KG
TOWING:	
Hook on Hull Face	1
MATERIALS:	177.4
Marine-Grade 6" PVC Tubes Marine-Grade 6" PVC Tubes with Polystyrene Inserts	17 Tubes
Flooring	6 Tubes
Hardwood (Yakal)	Foam Board
rialawood frakaly	yes
TRANSOM:	
Shaft Height:	15" Short Shaft
	20" Long Shaft
SIDE DOORS:	
Left	ĵ
Right	1
SEATING:	
Fixed Benches with Compartments	4
Anthony was provided to the second and the second and the second and the second	3.
SIDE ROPES: Nylon Ropes	Left and Right
	CONTROL CAMPAGE CONTROL
STEPPING LADDER:	Left and Right
II. ACCESSORIES:	
MARINA Approved Ring Buoy	2
PVC Paddles	2
Life Vests	16
Unconditional Warranty (Accessories)	1 Year
III. MOTOR:	40 HP Long-Shaft OBM
IV. TRAILER:	Anti-Rust Painted Trailer
V. AFTER SALES PRODUCT:	
Unconditional Warranty (Hull)	1 Year
,,,,,,,	
VI. AMPHIBIOUS TYPE	
Reinforced Bottom Tubes	No
Amphibian Design	No
Caster Wheels	0
Side wheels for Vertical transport on dry land	No
Package:	
I. Boat Body	
II. Accessories	
11. 44.4	


III. Motor IV. Trailer

V. After Sales Product VI. Training

THE GUARDIAN A 6'7" X 15

Reinforced & Amphibian w/ Outboard motor







TRAILER 15

Anti-Rust Painted Trailer



RESCUE BOAT MODEL:

I. BOAT BODY

BOAT DIMENSIONS:

Length: Width:

Height:

PASSENGER CAPACITY:

Seating Capacity: Overload Capacity:

WEIGHT:

Hull Weight: Operational Weight:

TOWING:

Hook on Hull Face

MATERIALS:

Marine-Grade 6" PVC Tubes

Marine-Grade 6" PVC Tubes with Polystyrene Inserts

Flooring

Hardwood (Yakal)

TRANSOM:

Shaft Height:

SIDE DOORS:

Left Right

SEATING:

Fixed Benches with Compartments

SIDE ROPES:

Nylon Ropes

STEPPING LADDER:

II. ACCESSORIES:

MARINA Approved Ring Buoy

PVC Paddles

Life Vests

Unconditional Warranty (Accessories)

III. MOTOR:

IV. TRAILER:

V. AFTER SALES PRODUCT:

Unconditional Warranty (Hull)

VI. AMPHIBIOUS TYPE

Reinforced Bottom Tubes Amphibian Design

Caster Wheels

Side wheels for Vertical transport on dry land

Package:

I. Boat Body

II. Accessories

III. Motor

IV. Trailer

V. After Sales Product

VI. Training

The Guardian A 6'7" x 15

Reinforced and Amphibious

w/Motor

15' 6.7

3'

16 Persons

1737.50 lbs / 789.8 Kg

540 KG

1329.8 KG

17 Tubes 6 Tubes

Foam Board

15" Short Shaft

20" Long Shaft

Left and Right

Left and Right

2

2

16

1 Year

40 HP Long-Shaft OBM

Anti-Rust Painted Trailer

1 Year


Yes Yes 3



NOAH'S ARK 5' X 12'

With Outboard Motor







TRAILER 12

Anti-Rust Painted Trailer



RESCUE BOAT MODEL:	Noah's Ark 5' x 12'
I. BOAT BODY BOAT DIMENSIONS:	w/ OB Motor
Length:	12'
Width:	5'
Height:	3,
PASSENGER CAPACITY:	
Seating Capacity:	12 Persons
Overload Capacity:	1506.8 lbs / 684.9 Kg
WEIGHT:	
Hull Weight:	316 KG
Operational Weight:	1000.9 KG
TOWING:	
Hook on Hull Face	1
MATERIALS:	
Marine-Grade 6" PVC Tubes	15 Tubes
Marine-Grade 6" PVC Tubes with Polystyrene Inserts	6 Tubes
Flooring	Foam Board
Hardwood (Yakal)	yes
TRANSOM:	1511 Ch - 4 Ch - 61
Shaft Height:	15" Short Shaft 20 " Long Shaft
	20 Long shan
SIDE DOORS:	News
Left Right	None None
•	None
SEATING:	
Fixed Benches with Compartments	3
SIDE ROPES:	
Nylon Ropes	Left and Right
STEPPING LADDER:	None
II. ACCESSORIES:	
MARINA Approved Ring Buoy	1
PVC Paddles	2
Life Vests	12
Warranty (Accessories)	1 Year
III. MOTOR:	25 HP Long-Shaft OBM
IV. TRAILER:	Anti-Rust Painted Trailer
V. AFTER SALES PRODUCT:	
Warranty (Hull)	1 Year
rectionly prony	riedi
VI. AMPHIBIOUS TYPE	
Reinforced Bottom Tubes	No

VI. AMPHIBIOUS	TYPE
Peinforced Bottom Tub	200

Side wheels for Vertical transport on dry land	V
Caster Wheels	0
Amphibian Design	N
Reinforced Bottom lubes	N

Package:
I. Boat Body
II. Accessories
III. Motor
IV. Trailer
V. After Sales Product
VI, Trainina

NOAH'S ARK 4' X 8'

Without motor









Another Quality Product of ...









RESCUE BOAT MODEL:	Noah's Ark 4' x 8'
I. BOAT BODY	w/o Motor
BOAT DIMENSIONS:	
Length:	8'
Width:	4*
Height:	3'
PASSENGER CAPACITY:	
Seating Capacity:	4 - 6 Persons
Overload Capacity:	777.81 lbs / 353.55 Kg
WEIGHT:	
Hull Weight:	180 KG
Operational Weight:	534.5 KG
TOWING:	
Hook on Hull Face	0
MATERIALS:	
Marine-Grade 6" PVC Tubes	12 Tubes
Marine-Grade 6" PVC Tubes with Polystyrene Inserts	None
Flooring	Foam Board
Hardwood (Yakal)	yes
7844/504	
TRANSOM: Shaft Height:	No Transom
sion reigni.	No Transom
	NO II GIBOTII
SIDE DOORS:	West order
Left	None
Right	None
SEATING:	
Fixed Benches with Compartments	0
SIDE ROPES:	
Nylon Ropes	None
STEPPING LADDER:	None
	20000000
II. ACCESSORIES:	
MARINA Approved Ring Buoy	1
PVC Paddles	2
Life Vests Warranty (Accessories)	6 1 Year
ATTENDED TO THE PERSON OF THE	
III. MOTOR:	Manually Operated
IV. TRAILER:	None
V. AFTER SALES PRODUCT:	
Warranty (Hull)	1 Year
VII AMERICAN TOUR	

VI. AMPHIBIOUS TYPE

Reinforced Bottom Tubes No Amphibian Design No Caster Wheels 0 Side wheels for Vertical transport on dry land No

Package:

I. Boat Body II. Accessories III. Motor IV. Trailer V. After Sales Product VI. Training