



Flat Bar



American Standard (Inches)



Dimensions		Weight		Thickness, t	Width, B	Weight per	
Thickness	Width	kg/ ft ²	kg/ M ²	mm	mm	20ft	40ft
in	in					kg	kg
3/16	1 1/4	3.47	37.38	4.76	31.75	7.24	14.47
	1 1/2	3.47	37.38	4.76	38.10	8.68	17.37
	2	3.47	37.38	4.76	50.80	11.58	23.15
	2 1/2	3.47	37.38	4.76	63.50	14.47	28.94
	3	3.47	37.38	4.76	76.20	17.37	34.73
	4	3.47	37.38	4.76	101.60	23.15	46.31
	5	3.47	37.38	4.76	127.00	28.94	57.89
	6	3.47	37.38	4.76	152.40	34.73	69.46
	8	3.47	37.38	4.76	203.20	46.31	92.62
	10	3.47	37.38	4.76	254.00	57.89	115.77
	12	3.47	37.38	4.76	304.80	69.46	138.93
1/4	1 1/4	4.63	49.84	6.35	31.75	9.65	19.30
	1 1/2	4.63	49.84	6.35	38.10	11.58	23.15
	2	4.63	49.84	6.35	50.80	15.44	30.87
	2 1/2	4.63	49.84	6.35	63.50	19.30	38.59
	3	4.63	49.84	6.35	76.20	23.15	46.31
	4	4.63	49.84	6.35	101.60	30.87	61.75
	5	4.63	49.84	6.35	127.00	38.59	77.18
	6	4.63	49.84	6.35	152.40	46.31	92.62
	8	4.63	49.84	6.35	203.20	61.75	123.49
	10	4.63	49.84	6.35	254.00	77.18	154.37
	12	4.63	49.84	6.35	304.80	92.62	185.24
5/16	1 1/4	5.79	62.30	7.94	31.75	12.06	24.12
	1 1/2	5.79	62.30	7.94	38.10	14.47	28.94
	2	5.79	62.30	7.94	50.80	19.30	38.59
	2 1/2	5.79	62.30	7.94	63.50	24.12	48.24
	3	5.79	62.30	7.94	76.20	28.94	57.89
	4	5.79	62.30	7.94	101.60	38.59	77.18
	5	5.79	62.30	7.94	127.00	48.24	96.48
	6	5.79	62.30	7.94	152.40	57.89	115.77
	8	5.79	62.30	7.94	203.20	77.18	154.37
	10	5.79	62.30	7.94	254.00	96.48	192.96
	12	5.79	62.30	7.94	304.80	115.77	231.55
3/8	1 1/2	6.95	74.76	9.53	38.10	17.37	34.73
	2	6.95	74.76	9.53	50.80	23.15	46.31
	2 1/2	6.95	74.76	9.53	63.50	28.94	57.89
	3	6.95	74.76	9.53	76.20	34.73	69.46
	4	6.95	74.76	9.53	101.60	46.31	92.62
	5	6.95	74.76	9.53	127.00	57.89	115.77
	6	6.95	74.76	9.53	152.40	69.46	138.93
	8	6.95	74.76	9.53	203.20	92.62	185.24
	10	6.95	74.76	9.53	254.00	115.77	231.55

Flat Bar



American Standard (Inches)



Dimensions		Weight		Thickness, t	Width, B	Weight per	
Thickness	Width	kg/ ft ²	kg/ M ²	mm	mm	20ft	40ft
in	in					kg	kg
3/8	12	6.95	74.76	9.53	304.80	138.93	277.86
	1 1/2	8.10	87.22	11.11	38.10	20.26	40.52
7/16	2	8.10	87.22	11.11	50.80	27.01	54.03
	2 1/2	8.10	87.22	11.11	63.50	33.77	67.54
	3	8.10	87.22	11.11	76.20	40.52	81.04
	4	8.10	87.22	11.11	101.60	54.03	108.06
	5	8.10	87.22	11.11	127.00	67.54	135.07
	6	8.10	87.22	11.11	152.40	81.04	162.08
	8	8.10	87.22	11.11	203.20	108.06	216.11
	10	8.10	87.22	11.11	254.00	135.07	270.14
	12	8.10	87.22	11.11	304.80	162.08	324.17
	14	8.10	87.22	11.11	355.60	189.10	378.20
1/2	1 1/2	9.26	99.68	12.70	38.10	23.15	46.31
	2	9.26	99.68	12.70	50.80	30.87	61.75
	2 1/2	9.26	99.68	12.70	63.50	38.59	77.18
	3	9.26	99.68	12.70	76.20	46.31	92.62
	4	9.26	99.68	12.70	101.60	61.75	123.49
	5	9.26	99.68	12.70	127.00	77.18	154.37
	6	9.26	99.68	12.70	152.40	92.62	185.24
	8	9.26	99.68	12.70	203.20	123.49	246.99
	10	9.26	99.68	12.70	254.00	154.37	308.73
	12	9.26	99.68	12.70	304.80	185.24	370.48
	14	9.26	99.68	12.70	355.60	216.11	432.23
	16	9.26	99.68	12.70	406.40	246.99	493.97
	18	9.26	99.68	12.70	457.20	277.86	555.72
20	9.26	99.68	12.70	508.00	308.73	617.47	
5/8	4	11.58	124.61	15.88	101.60	77.18	154.37
	5	11.58	124.61	15.88	127.00	96.48	192.96
	6	11.58	124.61	15.88	152.40	115.77	231.55
	8	11.58	124.61	15.88	203.20	154.37	308.73
	10	11.58	124.61	15.88	254.00	192.96	385.92
	12	11.58	124.61	15.88	304.80	231.55	463.10
	14	11.58	124.61	15.88	355.60	270.14	540.28
	16	11.58	124.61	15.88	406.40	308.73	617.47
	18	11.58	124.61	15.88	457.20	347.32	694.65
20	11.58	124.61	15.88	508.00	385.92	771.83	
3/4	4	13.89	149.53	19.05	101.60	92.62	185.24
	5	13.89	149.53	19.05	127.00	115.77	231.55
	6	13.89	149.53	19.05	152.40	138.93	277.86
	8	13.89	149.53	19.05	203.20	185.24	370.48
	10	13.89	149.53	19.05	254.00	231.55	463.10
	12	13.89	149.53	19.05	304.80	277.86	555.72

Flat Bar



American Standard (Inches)



Dimensions		Weight		Thickness, t	Width, B	Weight per	
Thickness	Width	kg/ ft ²	kg/ M ²	mm	mm	20ft	40ft
in	in					kg	kg
3/4	14	13.89	149.53	19.05	355.60	324.17	648.34
	16	13.89	149.53	19.05	406.40	370.48	740.96
	18	13.89	149.53	19.05	406.40	416.79	833.58
	20	13.89	149.53	19.05	406.40	463.10	926.20
7/8	4	16.21	174.45	22.23	101.60	108.06	216.11
	5	16.21	174.45	22.23	127.00	135.07	270.14
	6	16.21	174.45	22.23	152.40	162.08	324.17
	8	16.21	174.45	22.23	203.20	216.11	432.23
	10	16.21	174.45	22.23	254.00	270.14	540.28
	12	16.21	174.45	22.23	304.80	324.17	648.34
	14	16.21	174.45	22.23	355.60	378.20	756.40
	16	16.21	174.45	22.23	406.40	432.23	864.45
	18	16.21	174.45	22.23	457.20	486.25	972.51
	20	16.21	174.45	22.23	508.00	540.28	1080.56
1	4	18.52	199.37	25.40	101.60	123.49	246.99
	5	18.52	199.37	25.40	127.00	154.37	308.73
	6	18.52	199.37	25.40	152.40	185.24	370.48
	8	18.52	199.37	25.40	203.20	246.99	493.97
	10	18.52	199.37	25.40	254.00	308.73	617.47
	12	18.52	199.37	25.40	304.80	370.48	740.96
	14	18.52	199.37	25.40	355.60	432.23	864.45
	16	18.52	199.37	25.40	406.40	493.97	987.94
	18	18.52	199.37	25.40	457.20	555.72	1111.44
	20	18.52	199.37	25.40	508.00	617.47	1234.93
1 1/8	4	20.84	224.29	28.58	101.60	138.93	277.86
	5	20.84	224.29	28.58	127.00	173.66	347.32
	6	20.84	224.29	28.58	152.40	208.39	416.79
	8	20.84	224.29	28.58	203.20	277.86	555.72
	10	20.84	224.29	28.58	254.00	347.32	694.65
	12	20.84	224.29	28.58	304.80	416.79	833.58
	14	20.84	224.29	28.58	355.60	486.25	972.51
	16	20.84	224.29	28.58	406.40	555.72	1111.44
	18	20.84	224.29	28.58	457.20	625.18	1250.37
	20	20.84	224.29	28.58	508.00	694.65	1389.30
1 1/4	4	23.15	249.21	31.75	101.60	154.37	308.73
	5	23.15	249.21	31.75	127.00	192.96	385.92
	6	23.15	249.21	31.75	152.40	231.55	463.10
	8	23.15	249.21	31.75	203.20	308.73	617.47
	10	23.15	249.21	31.75	254.00	385.92	771.83
	12	23.15	249.21	31.75	304.80	463.10	926.20
	14	23.15	249.21	31.75	355.60	540.28	1080.56
	16	23.15	249.21	31.75	406.40	617.47	1234.93

Flat Bar

American Standard (Inches)



Dimensions		Weight		Thickness, t	Width, B	Weight per	
Thickness	Width	kg/ ft ²	kg/ M ²	mm	mm	20ft	40ft
in	in					kg	kg
1 3/8	4	25.47	274.13	34.93	101.60	169.80	339.61
	5	25.47	274.13	34.93	127.00	212.25	424.51
	6	25.47	274.13	34.93	152.40	254.70	509.41
	8	25.47	274.13	34.93	203.20	339.61	679.21
	10	25.47	274.13	34.93	254.00	424.51	849.02
	12	25.47	274.13	34.93	304.80	509.41	1018.82
	14	25.47	274.13	34.93	355.60	594.31	1188.62
	16	25.47	274.13	34.93	406.40	679.21	1358.42
	18	25.47	274.13	34.93	457.20	764.11	1528.23
1 1/2	4	27.78	299.05	38.10	101.60	185.24	370.48
	5	27.78	299.05	38.10	127.00	231.55	463.10
	6	27.78	299.05	38.10	152.40	277.86	555.72
	8	27.78	299.05	38.10	203.20	370.48	740.96
	10	27.78	299.05	38.10	254.00	463.10	926.20
	12	27.78	299.05	38.10	304.80	555.72	1111.44
	14	27.78	299.05	38.10	355.60	648.34	1296.68
	16	27.78	299.05	38.10	406.40	740.96	1481.92
	18	27.78	299.05	38.10	457.20	833.58	1667.16
2	4	37.04	398.74	50.80	101.60	246.99	493.97
	5	37.04	398.74	50.80	127.00	308.73	617.47
	6	37.04	398.74	50.80	152.40	370.48	740.96
	8	37.04	398.74	50.80	203.20	493.97	987.94
	10	37.04	398.74	50.80	254.00	617.47	1234.93
	12	37.04	398.74	50.80	304.80	740.96	1481.92
	14	37.04	398.74	50.80	355.60	864.45	1728.90
	16	37.04	398.74	50.80	406.40	987.94	1975.89
	18	37.04	398.74	50.80	457.20	1111.44	2222.88
20	37.04	398.74	50.80	508.00	1234.93	2469.86	