


ERW Black and Galvanized Iron Pipe

ASTM A-53



| Size | Outside Diameter, A | | Wall Thickness, t | | Class | Sched No. | Plain End | | |
|-------|---------------------|-------|-------------------|-------|-------|-----------|----------------|--------|--------|
| | | | | | | | Nominal Weight | | |
| | in | mm | in | mm | | | lbs/ ft | kg/ ft | kg/ M |
| 1/8 | 0.405 | 10.3 | 0.068 | 1.73 | std | 40 | 0.24 | 0.11 | 0.36 |
| 1/4 | 0.540 | 13.7 | 0.088 | 2.24 | std | 40 | 0.42 | 0.19 | 0.63 |
| 3/8 | 0.675 | 17.1 | 0.091 | 2.31 | std | 40 | 0.57 | 0.26 | 0.85 |
| 1/2 | 0.840 | 21.3 | 0.109 | 2.77 | std | 40 | 0.85 | 0.39 | 1.26 |
| 3/4 | 1.050 | 26.7 | 0.113 | 2.87 | std | 40 | 1.13 | 0.51 | 1.68 |
| 1 | 1.315 | 33.4 | 0.133 | 3.38 | std | 40 | 1.68 | 0.76 | 2.50 |
| 1 1/4 | 1.660 | 42.2 | 0.140 | 3.56 | std | 40 | 2.27 | 1.03 | 3.38 |
| 1 1/2 | 1.900 | 48.3 | 0.145 | 3.68 | std | 40 | 2.72 | 1.23 | 4.05 |
| 2 | 2.375 | 60.3 | 0.154 | 3.91 | std | 40 | 3.65 | 1.66 | 5.43 |
| 2 1/2 | 2.875 | 73.0 | 0.203 | 5.16 | std | 40 | 5.79 | 2.63 | 8.62 |
| 3 | 3.500 | 88.9 | 0.216 | 5.49 | std | 40 | 7.58 | 3.44 | 11.28 |
| 4 | 4.500 | 114.3 | 0.237 | 6.02 | std | 40 | 10.79 | 4.89 | 16.06 |
| 5 | 5.563 | 141.3 | 0.258 | 6.55 | std | 40 | 14.62 | 6.63 | 21.76 |
| 6 | 6.625 | 168.3 | 0.280 | 7.11 | std | 40 | 18.97 | 8.60 | 28.23 |
| 8 | 8.625 | 219.1 | 0.322 | 8.18 | std | 40 | 28.55 | 12.95 | 42.49 |
| 10 | 10.750 | 273.0 | 0.365 | 9.27 | std | 40 | 40.48 | 18.36 | 60.24 |
| 12 | 12.750 | 323.8 | 0.406 | 10.31 | ... | 40 | 53.52 | 24.28 | 79.65 |
| 14 | 14.000 | 355.6 | 0.312 | 7.92 | ... | 20 | 45.61 | 20.69 | 67.87 |
| | | | 0.375 | 9.52 | std | 30 | 54.57 | 24.75 | 81.21 |
| | | | 0.438 | 11.13 | ... | 40 | 63.44 | 28.78 | 94.41 |
| 16 | 16.000 | 406.4 | 0.312 | 7.92 | ... | 20 | 52.27 | 23.71 | 77.79 |
| | | | 0.375 | 9.52 | std | 30 | 62.58 | 28.39 | 93.13 |
| | | | 0.500 | 12.70 | xs | 40 | 82.77 | 37.54 | 123.18 |
| 18 | 18.000 | 457.2 | 0.375 | 9.53 | std | ... | 70.59 | 32.02 | 105.05 |
| | | | 0.438 | 11.13 | ... | 30 | 82.15 | 37.26 | 122.25 |
| | | | 0.500 | 12.70 | xs | ... | 93.45 | 42.39 | 139.07 |
| | | | 0.562 | 14.27 | ... | 40 | 104.67 | 47.48 | 155.77 |
| 20 | 20.000 | 508.0 | 0.375 | 9.53 | std | 20 | 78.60 | 35.65 | 116.97 |
| | | | 0.500 | 12.70 | xs | 30 | 104.13 | 47.23 | 154.96 |
| | | | 0.594 | 15.09 | ... | 40 | 123.11 | 55.84 | 183.21 |
| 24 | 24.000 | 609.6 | 0.375 | 9.53 | std | 20 | 94.62 | 42.92 | 140.81 |
| | | | 0.500 | 12.70 | xs | ... | 125.49 | 56.92 | 186.75 |
| | | | 0.562 | 14.27 | ... | 30 | 140.68 | 63.81 | 209.35 |
| | | | 0.688 | 17.48 | ... | 40 | 171.29 | 77.70 | 254.91 |